

Knasainväliset evo -kelpoiset artikkelit:

1. Abul-Kasim K, Schlenzka D, Selariu E, Ohlin A. Spinal Epidural Lipomatosis: A Common Imaging Feature in Scheuermann Disease. *J Spinal Disord Tech.* 2011.
2. Ahoniemi E, Pohjolainen T, Kautiainen H. Survival after spinal cord injury in Finland. *J Rehabil Med.* 2011;43(6):481-5.
3. Arvidson K, Abdallah BM, Applegate LA, Baldini N, Cenni E, Gomez-Barrena E, et al. Bone regeneration and stem cells. *J Cell Mol Med.* 2011;15(4):718-46.
4. Attal N, Bouhassira D, Baron R, Dostrovsky J, Dworkin RH, Finnerup N, et al. Assessing symptom profiles in neuropathic pain clinical trials: can it improve outcome? *Eur J Pain.* 2011;15(5):441-3.
5. Caetano-Lopes J, Lopes A, Rodrigues A, Fernandes D, Perpetuo IP, Monjardino T, et al. Upregulation of inflammatory genes and downregulation of sclerostin gene expression are key elements in the early phase of fragility fracture healing. *PLoS One.* 2011;6(2):e16947.
6. Caetano-Lopes J, Rodrigues A, Lopes A, Vale A, Pitts-Kiefer M, Vidal B, et al. Rheumatoid arthritis is associated with increased DKK1 expression and disturbances in the bone turnover regulating genes. *J Translat Med.* 2011;9(Suppl 2):P53.
7. Evangelou E, Valdes AM, Kerkhof HJ, Styrkarsdottir U, Zhu Y, Meulenbelt I, et al. Meta-analysis of genome-wide association studies confirms a susceptibility locus for knee osteoarthritis on chromosome 7q22. *Ann Rheum Dis.* 2011;70(2):349-55.
8. Forster JG, Kallio H, Rosenberg PH, Harilainen A, Sandelin J, Pitkanen MT. Chloroprocaine vs. articaine as spinal anaesthetics for day-case knee arthroscopy. *Acta Anaesthesiol Scand.* 2011;55(3):273-81.
9. Forster JG, Rosenberg PH. Revival of old local anesthetics for spinal anesthesia in ambulatory surgery. *Curr Opin Anaesthesiol.* 2011;24(6):633-7.
10. Gomez-Barrena E, Rosset P, Muller I, Giordano R, Bunu C, Layrolle P, et al. Bone regeneration: stem cell therapies and clinical studies in orthopaedics and traumatology. *J Cell Mol Med.* 2011;15(6):1266-86.
11. Haanpaa M. Are neuropathic pain screening tools useful for patients with spinal cord injury? *Pain.* 2011;152(4):715-6.
12. Haanpaa M, Attal N, Backonja M, Baron R, Bennett M, Bouhassira D, et al. NeuPSIG guidelines on neuropathic pain assessment. *Pain.* 2011;152(1):14-27.
13. Haanpaa M, Attal N, Backonja M, Baron R, Bouhassira D, Cruccu G, et al. Reply to the Letter to the Editor. *Pain.* 2011;153 (8):1683.

14. Haanpää M. Assessment and mechanisms of mechanical allodynia. *Scand J Pain.* 2011(2):7-8.
15. Hamalainen H, Kautiainen H, Pohjolainen T, Virta L, Jarvenpaa S, Puolakka K. Use of osteoporosis drugs in patients with recent-onset rheumatoid arthritis in Finland. *Clin Exp Rheumatol.* 2011;29(5):835-8.
16. Hietanen J, Hayrinen-Immonen R, Al-Samadi A, Trokovic N, Koskenpato K, Konttinen YT. Recurrent aphthous ulcers-a Toll-like receptor-mediated disease? *J Oral Pathol Med.* 2011.
17. Hirayama T, Tamaki Y, Takakubo Y, Iwazaki K, Sasaki K, Ogino T, et al. Toll-like receptors and their adaptors are regulated in macrophages after phagocytosis of lipopolysaccharide-coated titanium particles. *J Orthop Res.* 2011;29(7):984-92.
18. Holtta E, Laakkonen ML, Laurila JV, Strandberg TE, Tilvis R, Kautiainen H, et al. The Overlap of Delirium With Neuropsychiatric Symptoms Among Patients With Dementia. *Am J Geriatr Psychiat.* 2011;19(12):1034-41.
19. Jalanko T, Helenius I, Remes V, Lamberg T, Tervahartiala P, Yrjönen T, et al. Operative treatment of isthmic spondylolisthesis in children: a long-term, retrospective comparative study with matched cohorts. *Eur Spine J.* 2011;20(5):766-75.
20. Kaivosoja E, Barreto G, Levon K, Virtanen S, Ainola M, Konttinen YT. Chemical and physical properties of regenerative medicine materials controlling stem cell fate. *Ann Med.* 2011.
21. Kautio AL, Haanpaa M, Kautiainen H, Kalso E, Saarto T. Burden of chemotherapy-induced neuropathy--a cross-sectional study. *Support Care Cancer.* 2011;19(12):1991-6.
22. Kerkhof HJ, Meulenbelt I, Akune T, Arden NK, Aromaa A, Bierma-Zeinstra SM, et al. Recommendations for standardization and phenotype definitions in genetic studies of osteoarthritis: the TREAT-OA consortium. *Osteoarth Cartil.* 2011;19(3):254-64.
23. Kettunen JA, Harilainen A, Sandelin J, Schlenzka D, Hietaniemi K, Seitsalo S, et al. Knee arthroscopy and exercise versus exercise only for chronic patellofemoral pain syndrome: 5-year follow-up. *Br J Sports Med.* 2011.
24. Kettunen JA, Kujala U, Sarna S, Kaprio J. Cumulative incidence of shoulder region tendon injuries in male former elite athletes. *Int J Sports Med.* 2011;32(6):451-4.

25. Koho P, Orenius T, Kautiainen H, Haanpaa M, Pohjolainen T, Hurri H. Association of fear of movement and leisure-time physical activity among patients with chronic pain. *J Rehabil Med.* 2011;43(9):794-9.
26. Koivuniemi R, Paimela L, Suomalainen R, Leirisalo-Repo M. Malignancies in patients with rheumatoid arthritis. *Scand J Rheumatol.* 2011;40(2):154-5.
27. Konttinen Y, Sillat T, Barreto G, Ainola M, Nordstrom DC. Osteoarthritis as an autoinflammatory disease caused by chondrocyte-mediated inflammatory responses. *Arthritis Rheum.* 2011.
28. Kontunen P, Vuolteenaho K, Nieminen R, Lehtimäki L, Kautiainen H, Kesaniemi Y, et al. Resistin is linked to inflammation, and leptin to metabolic syndrome, in women with inflammatory arthritis. *Scand J Rheumatol.* 2011;40(4):256-62.
29. Koskinen E, Remes V, Paavolainen P, Harilainen A, Sandelin J, Tallroth K, et al. Results of total knee replacement with a cruciate-retaining model for severe valgus deformity--a study of 48 patients followed for an average of 9 years. *Knee.* 2011;18(3):145-50.
30. Kotaniemi K, Saila H, Kautiainen H. Long-term efficacy of adalimumab in the treatment of uveitis associated with juvenile idiopathic arthritis. *Clin Ophthalmol.* 2011;5:1425-9.
31. Lasry-Levy E, Hietaharju A, Pai V, Ganapati R, Rice AS, Haanpaa M, et al. Neuropathic pain and psychological morbidity in patients with treated leprosy: a cross-sectional prevalence study in mumbai. *PLoS Negl Trop Dis.* 2011;5(3):e981.
32. Lohman M, Tallroth K, Kettunen JA, Remes V. Changing from analog to digital images: does it affect the accuracy of alignment measurements of the lower extremity? *Acta Orthop.* 2011;82(3):351-5.
33. Lund T, Oxland TR. Adjacent Level Disk Disease-Is it Really a Fusion Disease? *Orthop Clin North Am.* 2011;42(4):529-41.
34. Luomala M, Oksa J, Salmi J, Linnamo V, Holmér I, Smolander J, et al. Adding a cooling vest during cycling improves performance in warm and humid conditions. *J Therm Biol.* 2011.
35. Makela KT, Eskelinen A, Pulkkinen P, Paavolainen P, Remes V. Results of 3,668 primary total hip replacements for primary osteoarthritis in patients under the age of 55 years. *Acta Orthop.* 2011;82(5):521-9.
36. Makela KT, Eskelinen A, Pulkkinen P, Virolainen P, Paavolainen P, Remes V. Cemented versus cementless total hip replacements in patients fifty-five years of age or older with rheumatoid arthritis. *J Bone Joint Surg Am.* 2011;93(2):178-86.

37. Mantyselka P, Korniloff K, Saaristo T, Koponen H, Eriksson J, Puolijoki H, et al. Association of depressive symptoms with impaired glucose regulation, screen-detected, and previously known type 2 diabetes: findings from the Finnish D2D Survey. *Diabetes Care*. 2011;34(1):71-6.
38. Miller B, Deutsch O, Redlich M, Konttinen Y, Benoliel R, Zaks B, et al. Sialochemistry and cortisol levels in patients with Sjogren's syndrome. *Oral Dis*. 2011.
39. Montin L, Suominen T, Haaranen E, Katajisto J, Lepisto J, Leino-Kilpi H. The changes in health-related quality of life and related factors during the process of total hip arthroplasty. *Int J Nurs Pract*. 2011;17(1):19-26.
40. Nakken B, Munthe LA, Konttinen YT, Sandberg AK, Szekanecz Z, Alex P, et al. B-cells and their targeting in rheumatoid arthritis--current concepts and future perspectives. *Autoimmun Rev*. 2011;11(1):28-34.
41. Nakki A, Videman T, Kujala UM, Suhonen M, Mannikko M, Peltonen L, et al. Candidate gene association study of magnetic resonance imaging-based hip osteoarthritis (OA): evidence for COL9A2 gene as a common predisposing factor for hip OA and lumbar disc degeneration. *J Rheumatol*. 2011;38(4):747-52.
42. Paaajanen H, Ristolainen L, Turunen H, Kujala UM. Prevalence and etiological factors of sport-related groin injuries in top-level soccer compared to non-contact sports. *Arch Orthop Trauma Surg*. 2011;131(2):261-6.
43. Pekkanen L, Kautiainen H, Ylinen J, Salo P, Hakkinen A. Reliability and validity study of the finnish version 2.0 of the oswestry disability index. *Spine (Phila Pa 1976)*. 2011;36(4):332-8.
44. Pitkala K, Routasalo P, Kautiainen H, Sintonen H, Tilvis R. Effects of Socially Stimulating Group Intervention on Lonely, Older People's Cognition: A Randomized, Controlled Trial. *Am J Geriatr Psychiat*. 2011;19:654-63.
45. Pohjankoski H, Latva K, Kautiainen H, Saila H, Klaukka T, Virta L, et al. First-year purchases of disease-modifying drugs of incident patients with chronic juvenile arthritis in Finland. *Clin Exp Rheumatol*. 2011;29(5):878-81.
46. Porola P, Straub RH, Virkki LM, Konttinen YT, Nordstrom DC. Failure of oral DHEA treatment to increase local salivary androgen outputs of female patients with Sjogren's syndrome. *Scand J Rheumatol*. 2011;40(5):387-90.
47. Puisto V, Heliövaara M, Impivaara O, Jalanko T, Kroger H, Knekt P, et al. Severity of vertebral fracture and risk of hip fracture: a nested case-control study. *Osteoporos Int*. 2011;22(1):63-8.

48. Puisto V, Rissanen H, Heliovaara M, Impivaara O, Jalanko T, Kroger H, et al. Vertebral fracture and cause-specific mortality: a prospective population study of 3,210 men and 3,730 women with 30 years of follow-up. *Eur Spine J*. 2011;20(12):2181-6.
49. Puustinen PJ, Koponen H, Kautiainen H, Mantyselka P, Vanhala M. Psychological distress predicts the development of the metabolic syndrome: a prospective population-based study. *Psychosom Med*. 2011;73(2):158-65.
50. Rantalaiho V, Kautiainen H, Virta L, Korpela M, Mottonen T, Puolakka K. Trends in treatment strategies and the usage of different disease-modifying anti-rheumatic drugs in early rheumatoid arthritis in Finland. Results from a nationwide register in 2000-2007. *Scand J Rheumatol*. 2011;40(1):16-21.
51. Remvig L, Engelbert RH, Berglund B, Bulbena A, Byers PH, Grahame R, et al. Need for a consensus on the methods by which to measure joint mobility and the definition of norms for hypermobility that reflect age, gender and ethnic-dependent variation: is revision of criteria for joint hypermobility syndrome and Ehlers-Danlos syndrome hypermobility type indicated? *Rheumatology (Oxford)*. 2011;50(6):1169-71.
52. Ristolainen L, Kettunen J, Kujala U, Heinonen A. Sport injuries as the main cause of sport career termination among Finnish top-level athletes. *Eur J Sports Sci*. 2011.
53. Ristolainen L, Kettunen J, Heliovaara M, Kujala UM, Heinonen A, Schlenzka D. The natural history of Scheuermann's kyphosis - a comparative study after 37 -year follow-up. *Eur Spine J*. 2011; 20(Suppl 4): S453.
54. Ristolainen L, Kettunen JA, Heliovaara M, Kujala UM, Heinonen A, Schlenzka D. Untreated Scheuermann's disease: a 37-year follow-up study. *Eur Spine J*. 2011.
55. Saarto T, Sievanen H, Kellokumpu-Lehtinen P, Nikander R, Vehmanen L, Huovinen R, et al. Effect of supervised and home exercise training on bone mineral density among breast cancer patients. A 12-month randomised controlled trial. *Osteoporos Int*. 2011.
56. Schlenzka D, Yrjönen T, Poussa M, Österman K, Seitsalo S. Low-grade isthmic spondylolisthesis in children, adolescents and young adults. *ArgoSpine*. 2011; 23: 19-27.
57. Seppala J, Vanhala M, Kautiainen H, Eriksson J, Kampman O, Mantyselka P, et al. Prevalence of metabolic syndrome in subjects with melancholic and non-melancholic depressive symptoms. A Finnish population-based study. *J Affect Disord*. 2011.
58. Sillat T, Saat R, Pollanen R, Hukkanen M, Takagi M, Konttinen YT. Basement membrane collagen type IV expression by human mesenchymal stem cells during adipogenic differentiation. *J Cell Mol Med*. 2011.

59. Skytta ET, Eskelinen A, Paavolainen PO, Remes VM. Early results of 827 trabecular metal revision shells in acetabular revision. *J Arthroplasty*. 2011;26(3):342-5.
60. Slatis P, Malmivaara A, Heliövaara M, Sainio P, Herno A, Kankare J, et al. Long-term results of surgery for lumbar spinal stenosis: a randomised controlled trial. *Eur Spine J*. 2011;20(7):1174-81.
61. Smolander J, Ajoiviita M, Juuti T, Nummela A, Rusko H. Estimating oxygen consumption from heart rate and heart rate variability without individual calibration. *Clin Physiol Funct Imaging*. 2011;31(4):266-71.
62. Soininen A, Levon J, Katsikogianni M, Myllymaa K, Lappalainen R, Konttinen YT, et al. In vitro adhesion of staphylococci to diamond-like carbon polymer hybrids under dynamic flow conditions. *J Mater Sci Mater Med*. 2011;22(3):629-36.
63. Strietzel FP, Lafaurie GI, Mendoza GR, Alajbeg I, Pejda S, Vuletic L, et al. Efficacy and safety of an intraoral electrostimulation device for xerostomia relief: a multicenter, randomized trial. *Arthritis Rheum*. 2011;63(1):180-90.
64. Takakubo Y, Tamaki Y, Hirayama T, Iwazaki K, Yang S, Sasaki A, et al. Midterm clinico-radiologic findings of an open label observation study of add-on tacrolimus with biologics or non-biologic DMARDs. *Rheumatol Int*. 2011.
65. Takala JH, Kautiainen H, Finne P, Leirisalo-Repo M. Wegener's granulomatosis in Finland in 1981-2000: risk of dialysis-dependent renal disease. *Scand J Rheumatol*. 2011;40(4):283-8.
66. Takalo R, Niemela R, Karjalainen A, Leisti EL, Kautiainen H, Hakala M. ^{99m}Tc nanocolloid scintigraphy in prognostication of early RA. *Scand J Rheumatol*. 2011;40(2):152-3.
67. Tamaki Y, Takakubo Y, Hirayama T, Konttinen YT, Goodman SB, Yamakawa M, et al. Expression of Toll-like Receptors and Their Signaling Pathways in Rheumatoid Synovitis. *J Rheumatol*. 2011;38(5):810-20.
68. Tiippana-Kinnunen T, Laasonen L, Kautiainen H, Paimela L, Leirisalo-Repo M. Impact of early radiographic remission on the 15-year radiographic outcome in patients with rheumatoid arthritis. *Scand J Rheumatol*. 2011;40(4):263-8.
69. Vanhala M, Kumpula LS, Soininen P, Kangas AJ, Ala-Korpela M, Kautiainen H, et al. High serum adiponectin is associated with favorable lipoprotein subclass profile in 6.4-year follow-up. *Eur J Endocrinol*. 2011;164(4):549-52.
70. Vastamaki H, Kettunen J, Vastamaki M. The Natural History of Idiopathic Frozen Shoulder: A 2- to 27-year Followup Study. *Clin Orthop Relat Res*. 2011.

71. Vercauteren M, Waets P, Pitkanen M, Forster J. Neuraxial techniques in patients with pre-existing back impairment or prior spine interventions: a topical review with special reference to obstetrics. *Acta Anaesthesiol Scand.* 2011;55(8):910-7.
72. Virkki LM, Valleala H, Takakubo Y, Vuotila J, Relas H, Komulainen R, et al. Outcomes of switching anti-TNF drugs in rheumatoid arthritis--a study based on observational data from the Finnish Register of Biological Treatment (ROB-FIN). *Clin Rheumatol.* 2011;30(11):1447-54.
73. Wood KB, Fritzell P, Dettori JR, Hashimoto R, Lund T, Shaffrey C. Effectiveness of spinal fusion versus structured rehabilitation in chronic low back pain patients with and without isthmic spondylolisthesis: a systematic review. *Spine (Phila Pa 1976).* 2011; 36: S110-9.
74. Zdravecká E, Tiainen VM, Konttinen Y, Franta L, Vojs M, Marton M, et al. Relationships between the fretting wear behavior and mechanical properties of thin carbon films. *Vacuum.* 2011.
75. Zhang Y, Hou C, Yu S, Xiao J, Zhang Z, Zhai Q, et al. IRAK-M in macrophages around septic and aseptically loosened hip implants. *J Biomed Mater Res A.* 2012;100(1):261-8.

Duodecim:

1. Pohjolainen Timo. Tekonivellonkka ja bursiitti. Konsultaatiopalsta. *Duodecim* 25.5.2011
2. Vastamäki Martti, Laine Timo, Puusa Asko, Lohman Martina. Nuoren naisen mystinen alaselkä-lonkka-alaraajakipu. *Duodecim* 2011;127(14):1481-1484.
3. Vastamäki Martti. Erikoislääkärin uutiset. *Käsikirurgia.* *Duodecim* 2011;127(17):1769.
4. Vastamäki Martti, Puusa Asko. Oopperalaulajan huono laulukyky. *Duodecim* 2011; 127(50-52): 2675-2676.
5. Vuorenmaa Mirja, Häkkinen Arja, Paloneva Juha, Kiviranta Ilkka, Kautiainen Hannu, Oikari Marjo ja Ylinen Jari. Preoperatiivinen fysioterapia ja olkapään pinnetilän leikkauksesta toipuminen. *Duodecim* 2011;127(9):935-944.

Suomen Lääkärilehti:

1. Kotaniemi Kaisu. Reumapotilaiden silmäongelmat. *Suomen Lääkäril* 2011;45: 3409 – 3412.
2. Lassila Riitta, Armstrong Elina, Halinen Matti, Albäck Anders, Asmundela Heidi, Backman Janne, Groundstroem Kaj, Joutsu-Korhonen Lotta, Kalliokoski Annikka, Kastarinen Helena, Niemi Tomi, Peltonen Seija, Puhakka Jaana, Rossinen Juhani, Tatlisumak Turgut, Väänänen Hannu. [Uusien antikoagulanttien hallittu käyttöönnotto](#). *Suomen Lääkäril* 2011;38:2753 – 2762.

3. Vastamäki Martti. Olkanivelen kiertäjäkalvosimen repeämä. Suomen Lääkäril 2011;35: 2520 – 2521.
4. Vastamäki Martti. Laki on työkykyisen puolella ikäsyrijintää vastaan. Suomen Lääkäril 2011;42:3110.

Väitöskirjat 2011:

A:31 Porola Pauliina: Sex steroids in Sjögren´s syndrome