

28.2.2014

Kansainväliset julkaisut

1. Aaltonen KJ, Virkki LM, Jamsen E, et al. Do biologic drugs affect the need for and outcome of joint replacements in patients with rheumatoid arthritis? A register-based study. *Semin Arthritis Rheum.* 2013;43(1):55-62.
2. Aframian D, Konttinen Y, Carrozzo M, Tzioufas A. Urban legends series: Sjogren's syndrome. *Oral Dis.* 2013;19(1):46-58.
3. Al-Samadi A, Kouri VP, Salem A, et al. IL-17C and its receptor IL-17RA/IL-17RE identify human oral epithelial cell as an inflammatory cell in recurrent aphthous ulcer. *J Oral Pathol Med.* Jul 3 2013. DOI: 10.1111/jop.12095
4. Asklof T, Kautiainen H, Jarvenpaa S, Haanpaa M, Kiviranta IP, Pohjolainen T. Disability Pensions due to Spinal Disorders: Nationwide Finnish Register Study 1990-2010. *Spine.* Dec 30 2013.
5. Barreto G, Sillat T, Soininen A, et al. Do changing toll-like receptor profiles in different layers and grades of osteoarthritis cartilage reflect disease severity? *J Rheumatol.* 2013;40(5):695-702.
6. Caetano-Lopes J, Rodrigues A, Lopes A, et al. Rheumatoid Arthritis Bone Fragility Is Associated With Upregulation of IL17 and DKK1 Gene Expression. *Clin Rev Allergy Immunol.* Apr 2 2013.
7. Ekblom-Kullberg S, Kautiainen H, Alha P, Leirisalo-Repo M, Julkunen H. Smoking and the risk of systemic lupus erythematosus. *Clin Rheumatol.* 2013;32(8):1219-1222.
8. Forster JG, Rosenberg PH, Harilainen A, Sandelin J, Pitkanen MT. Chloroprocaine 40 mg produces shorter spinal block than articaïne 40 mg in day-case knee arthroscopy patients. *Acta Anaesthesiol Scand.* 2013;57(7):911-919.
9. Gallo J, Goodman SB, Konttinen YT, Raska M. Particle disease: biologic mechanisms of periprosthetic osteolysis in total hip arthroplasty. *Innate Immun.* 2013;19(2):213-224.
10. Gallo J, Goodman SB, Konttinen YT, Wimmer MA, Holinka M. Osteolysis around total knee arthroplasty: A review of pathogenetic mechanisms. *Acta Biomater.* 2013;9(9):8046-8058.
11. Gauffin J, Hankama T, Hannonen P, Kautiainen H, Pohjolainen T, Haanpaa M. Do fibromyalgia patients use active pain management strategies? A cohort study. *J Rehabil Med.* 2013;45(5):477-480.

12. Gauffin J, Hankama T, Kautiainen H, Hannonen P, Haanpaa M. Neuropathic pain and use of PainDETECT in patients with fibromyalgia: a cohort study. *BMC Neurol.* 2013;13:21.
13. Heiligenhaus A, Heinz C, Edelsten C, Kotaniemi K, Minden K. Review for disease of the year: epidemiology of juvenile idiopathic arthritis and its associated uveitis: the probable risk factors. *Ocul Immunol Inflamm.* 2013;21(3):180-191.
14. Heinola T, de Grauw JC, Virkki L, et al. Bovine chronic osteoarthritis causes minimal change in synovial fluid. *J Comp Pathol.* 2013;148(4):335-344.
15. Jonasson C, Hatlebakk JG, Lundell L, Kouri JP, Andersen M, Granath F. Association between adherence to concomitant proton pump inhibitor therapy in current NSAID users and upper gastrointestinal complications. *Eur J Gastroenterol Hepatol.* 2013;25(5):531-538.
16. Kaivosoja E, Myllymaa S, Takakubo Y, et al. Osteogenesis of human mesenchymal stem cells on micro-patterned surfaces. *J Biomater Appl.* 2013;27(7):862-871.
17. Kaivosoja E, Suvanto P, Barreto G, et al. Cell adhesion and osteogenic differentiation on three-dimensional pillar surfaces. *J Biomed Mater Res A.* 2013;101(3):842-852.
18. Kesanen J, Leino-Kilpi H, Arifulla D, Siekkinen M, Valkeapaa K. Knowledge tests in patient education: A systematic review. *Nurs Health Sci.* Nov 21 2013.
19. Koivuniemi R, Paimela L, Suomalainen R, Leirisalo-Repo M. Cardiovascular diseases in patients with rheumatoid arthritis. *Scand J Rheumatol.* 2013;42(2):131-135.
20. Koski AM, Loyttyniemi E, Vaananen H, et al. The effectiveness of teriparatide in the clinical practice--attenuation of the bone mineral density outcome by increasing age and bisphosphonate pretreatment. *Ann Med.* 2013;45(3):230-235.
21. Kotaniemi K, Sihto-Kauppi K, Salomaa P, Säilä H, Ristolainen L, Kauppi M. The frequency and outcome of uveitis in patients with newly diagnosed juvenile idiopathic arthritis in two 4-year cohorts from 1990-1993 and 2000-2003. *Clin Exp Rheumatol* Dec 2013.
22. Kouri VP, Olkkonen J, Ainola M, et al. Neutrophils produce interleukin-17B in rheumatoid synovial tissue. *Rheumatology (Oxford).* Sep 19 2013.
23. Kouri VP, Olkkonen J, Kaivosoja E, et al. Circadian timekeeping is disturbed in rheumatoid arthritis at molecular level. *PLoS One.* 2013;8(1):e54049.
24. Kruger L, Pohjolainen T, Kaitila I, Kautiainen H, Arkela-Kautiainen M, Hurri H. Health-related quality of life and socioeconomic situation among diastrophic dysplasia patients in Finland. *J Rehabil Med.* 2013;45(3):308-313.

25. Kuuliala A, Julkunen H, Paimela L, et al. Double-blind, randomized, placebo-controlled study of three-month treatment with the combination of ofloxacin and roxithromycin in recent-onset reactive arthritis. *Rheumatol Int.* 2013;33(11):2723-2729.
26. Kuusniemi K, Leino K, Lertola K, Pihlajamäki K, Pitkanen M. Comparison of two spinal needle types to achieve a unilateral spinal block. *J Anesth.* 2013;27(2):224-230.
27. Leirisalo-Repo M, Kautiainen H, Laasonen L, et al. Infliximab for 6 months added on combination therapy in early rheumatoid arthritis: 2-year results from an investigator-initiated, randomised, double-blind, placebo-controlled study (the NEO-RACo Study). *Ann Rheum Dis.* 2013;72(6):851-857.
28. Miettinen ME, Kinnunen L, Harjutsalo V, et al. Serum 25-hydroxyvitamin D in juvenile idiopathic arthritis patients in Finland. *Clin Exp Rheumatol.* 2013;31(6):988.
29. Myllymaa K, Levon J, Tiainen VM, et al. Formation and retention of staphylococcal biofilms on DLC and its hybrids compared to metals used as biomaterials. *Colloids Surf B Biointerfaces.* 2013;101:290-297.
30. Nich C, Takakubo Y, Pajarinen J, et al. Macrophages-Key cells in the response to wear debris from joint replacements. *J Biomed Mater Res A.* 2013;101(10):3033-3045.
31. Noro A, Sillat T, Virtanen I, et al. Laminin Production and Basement Membrane Deposition by Mesenchymal Stem Cells upon Adipogenic Differentiation. *J Histochem Cytochem.* 2013;61(10):719-730.
32. Orenius T, Koskela T, Koho P, et al. Anxiety and depression are independent predictors of quality of life of patients with chronic musculoskeletal pain. *J Health Psychol.* 2013;18(2):167-175.
33. Pajarinen J, Kouri VP, Jamsen E, Li TF, Mandelin J, Konttinen YT. The response of macrophages to titanium particles is determined by macrophage polarization. *Acta Biomater.* 2013;9(11):9229-9240.
34. Palmu SA, Lohman M, Paukku RT, Peltonen JI, Nietosvaara Y. Childhood femoral fracture can lead to premature knee-joint arthritis. *Acta Orthop.* 2013;84(1):71-75.
35. Pikkarainen V, Kettunen J, Vastamäki M. The natural course of serratus palsy at 2 to 31 years. *Clin Orthop Relat Res.* 2013;471(5):1555-1563.
36. Pitkanen MT, Aromaa U, Cozaniotis DA, Forster JG. Serious complications associated with spinal and epidural anaesthesia in Finland from 2000 to 2009. *Acta Anaesthesiol Scand.* 2013;57(5):553-564.

37. Rantalaiho VM, Kautiainen H, Jarvenpaa S, et al. Decline in work disability caused by early rheumatoid arthritis: results from a nationwide Finnish register, 2000-8. *Ann Rheum Dis*. 2013;72(5):672-677.
38. Ritvanen AG, de Oliveira ME, Koivikko MP, et al. Mesh-based method for measuring intracranial volume in patients with craniosynostosis. *Int J Comput Assist Radiol Surg*. 2013;8(5):703-709.
39. Schlenzka D, Yrjönen T. Bracing in adolescent idiopathic scoliosis. *J Child Orthop*. 2013;7(1):51-55.
40. Schlenzka D, Yrjönen T. Comments on: Efficacy of Bracing versus Observation in the Treatment of Idiopathic Scoliosis (Evid Based Spine Care J 2011;2(2):25-34). *Evid-Based Spine-Care J*. 2013;4 (2):165.
41. Sillat T, Barreto G, Clarijs P, et al. Toll-like receptors in human chondrocytes and osteoarthritic cartilage. *Acta Orthop*. 2013;84(6):585-592.
42. Stegaev V, Nies AT, Porola P, et al. Histamine transport and metabolism are deranged in salivary glands in Sjogren's syndrome. *Rheumatology (Oxford)*. 2013;52(9):1599-1608.
43. Takakubo Y, Tamaki Y, Hirayama T, et al. Inflammatory immune cell responses and Toll-like receptor expression in synovial tissues in rheumatoid arthritis patients treated with biologics or DMARDs. *Clin Rheumatol*. 2013;32(6):853-861.
44. Tallroth K, Kettunen JA, Kujala UM. Reproducibility of Regional DEXA Examinations of Abdominal Fat and Lean Tissue. *Obes Facts*. 2013;6(2):203-210.
45. Tiippana-Kinnunen T, Kautiainen H, Paimela L, Leirisalo-Repo M. Co-morbidities in Finnish patients with rheumatoid arthritis: 15-year follow-up. *Scand J Rheumatol*. 2013;42(6):451-456.
46. Tiippana-Kinnunen T, Paimela L, Peltomaa R, Kautiainen H, Laasonen L, Leirisalo-Repo M. Work disability in Finnish patients with rheumatoid arthritis: a 15-year follow-up. *Clin Exp Rheumatol*. Oct 21 2013.
47. Vastamaki H, Vastamaki M. Motion and pain relief remain 23 years after manipulation under anesthesia for frozen shoulder. *Clin Orthop Relat Res*. 2013;471(4):1245-1250.
48. Vastamaki M, Lohman M, Borgmasters N. Rotator cuff integrity correlates with clinical and functional results at a minimum 16 years after open repair. *Clin Orthop Relat Res*. 2013;471(2):554-561.
49. Wen J, Ren C, Chen Y, et al. An urodynamic study of solifenacin in female and male patients with symptomatic overactive bladder. *Life Sci J*. 2013(10):7-12.

50. Viljakka T, Tallroth K, Vastamaki M. Long-term outcome (22-36 years) of silicone lunate arthroplasty for Kienbock's disease. *J Hand Surg Eur Vol.* May 21 2013.
51. Viljakka T, Tallroth K, Vastamaki M. Long-term outcome (20 to 33 years) of radial shortening osteotomy for Kienbock's lunatomalacia. *J Hand Surg Eur Vol.* Dec 3 2013.
52. Zhang Y, Yu S, Xiao J, et al. Wear particles promote endotoxin tolerance in macrophages by inducing interleukin-1 receptor-associated kinase-M expression. *J Biomed Mater Res A.* 2013;101(3):733-739.

Kotimaiset evo-kelpoiset lehdet

Duodecim

1. Elo P, Laasonen L, Soini I, Luosujärvi R, Lohman M, Paimela L, Mikkonen R, Alasaarela E, Hannila I, Vidqvist KL, Kauppi M, Nordstöm D. Tulehduksellisen selkäkivun kuvantamisdiagnostiikka. *Duodecim* 2013;129(7):741-752.
2. Förster J, Niemi T. Ei hydroksietyyliä tarkkelystä potilaille - olisivatko varovaisemmat päätelmät paikallaan? *Duodecim* 2013;129(16):1732.
3. Österman H. Spinaaliklaudikaatio. *Duodecim* 2013;129(17):1820-1826.

Suomen Lääkärilehti

1. Järvi U. Lastenreuma rajoittaa edelleen nuoren uranvalintaa. *Suomen Lääkärilehti.* 2013;35: 2113.
2. Meurman JH, Paavolainen P. Hammasperäisten tekonivelinfektioiden ehkäisy. *Suomen Lääkärilehti* 2013;3:139-142.
3. Pihlava M. Yksityissairaalat tähyävät Venäjälle. *Suomen Lääkärilehti* 2013; 13-14: 980 – 981.
4. Suominen K, Kronqvist K, Karjalainen K, Husman K, Katila-Keso L, Haanpää M. Johtaako masennuksen huono hoito eläkkeelle? *Suomen Lääkärilehti.* 2013;4:232-236.
5. Vastamäki M, Paavilainen P, Jokiranta J. Tenniskyynärpää - pitkällinen ja kivulias vaiva. Eri hoitomuotojen tehosta niukasti näyttöä. *Suomen Lääkärilehti* 2013; 37: 2281 – 2286.

Väitöskirjat

1. Palmu Sauli: Long-term results and treatment injuries in pediatric tibial and femoral fractures. Tieteellinen tutkimus Ortonin julkaisusarja A:35. 2013. Helsinki. Unigrafia.
2. Waris Ville: Osteogenetic growth factors around loosened hip replacements. Tieteellinen tutkimus Ortonin julkaisusarja A:36. 2013. Helsinki. Unigrafia.

Kirjan kappaleet

Ojala T, Wilson JM, Hulmi JJ, Karila T, Seppälä TA, Mero AA. γ -Hydroxy-Isocaproic Acid (HICA) – Effects on Body Composition, Muscle Soreness and Athletic Performance. Kirjassa. Bagchi D, Nair S, Sen CK (edit.). Nutrition and enhanced sports performance. Muscle building, endurance and strength. Elsevier. USA. 2013.

Muut artikkelit

Fysioterapia

1. Ristolainen L. Urheiluvammat eri tavoin kuormittavissa urheilulajeissa. Fysioterapia. 2013;1:37-41.

Niveltieto

1. Paavolainen P. Milloin kirurgiasta on hyötyä? Niveltieto. 2013;1:14-16.
2. Rantanen J. Nivelkierukkaimplantit saapuivat Suomeen. Niveltieto. 2013;2